
PROFESSIONAL LED

HOLIDAY
– AND SPECIAL EVENT –
LIGHTING



Pg. 1 - 29552210

Pg. 8 - 29554090

NEW!

EWING OUTDOOR SUPPLY

PREMIUM-GRADE LED BULBS

Benefits of Superbrite and Classic LED bulbs:

1. Durable single-piece polycarbonate construction resists fading, chipping, and cracking.
2. Thick shell delivers uniform brightness and vibrant, consistent color in every bulb.
3. Dimmable SMD LEDs deliver 90% energy savings, stay cool to the touch, and have a 60,000 hour average bulb life.
4. C9: 25 bulbs/bag, 500/case
   C7: 25 bulbs/bag, 1,000/case

Superbrite SMD LED C9 Brilliant Faceted Cut Bulbs

Deeper diamond facets generate a beautiful, more even light halo. 60,000 hours average bulb life, 0.84W per bulb.


	Ewing SKU	Color
A	29552210	Red
B	29552220	Green
C	29552230	Blue
D	29552235	Purple
E	29552240	Orange
F	29552245	Yellow
G	29552250	Teal
H	29552255	Pink
I	29552260	Cool White
J	29552270	Warm White
K	29552290	5-Color Multi



Superbrite SMD LED C7 Brilliant Faceted Cut Bulbs

State of the art for brightness, color, technology and durability in a C7 bulb. 60,000 hours average bulb life, 0.84W per bulb.

	Ewing SKU	Color
A	29552010	Red
B	29552020	Green
C	29552030	Blue
D	29552035	Purple
E	29552040	Orange
F	29552045	Yellow
G	29552050	Teal
H	29552060	Cool White
I	29552070	Warm White
J	29552090	5-Color Multi



Classic LED C7 & C9 Opaque Bulbs

The Classic series creates a vintage look that's indistinguishable from the ceramic incandescent bulbs of childhood memories.

The thicker, polycarbonate opaque lens creates a more uniform radiance throughout the bulb.

	Ewing SKU	Color
A	29552410	Red
B	29552420	Green
C	29552430	Blue
D	29552440	Orange
E	29552445	Yellow
F	29552460	Cool White
G	29552470	Warm White
H	29552490	5-Color Multi
I	29552590	C7 – 5-Color Multi



FlexFilament Premium C7 & C9 Bulbs

FlexFilament bulbs deliver the nostalgic look of traditional clear glass lights with the efficiency and durability of LED technology.

- Provides the warm glow and classic look of incandescent lighting with low-wattage LED performance.
- Durable Poly-Flex construction resists breaking and yellowing.
- Curved filament design creates a brighter, more authentic appearance.
- Dimmable for customizable brightness control.
- 25 bulbs per box, 250 bulbs per case.

	Ewing SKU	Color
A	29552310	Red
B	29552320	Green
C	29552330	Blue
D	29552345	Yellow
E	29552360	Cool White
F	29552370	Warm White
G	29552390	5-Color Multi
H	29552170	C7 – Warm White








LEARN MORE ABOUT THIS PRODUCT

WIRE & CONNECTORS



A






C




D



E



B



F

LEARN MORE ABOUT WIRING

A C9 SPT-1 Socket Wire

C9 stringers (100') or spools (1,000') with socketed spacing as indicated below.

Ewing SKU	Color	Size	Spacing
29550120	Green	100'	12"
29550125	White	100'	12"
29550130	Green	100'	15"
29551120	Green	1,000'	12"
29551125	White	1,000'	12"
29551130	Green	1,000'	15"

B C7 SPT-1 Socket Wire

C7 stringers (100') or spools (1,000') with 12" socket spacing.

Ewing SKU	Color	Size
29550100	Green	100'
29551100	Green	1,000'
29550105	White	100'
29551105	White	1,000'

C SPT-1 Blank Wire

Light string with no sockets.

Ewing SKU	Color	Size
29551200	Green	250'
29551500	Green	1,000'
29551205	White	250'
29551505	White	1,000'

D Replacement Sockets

Used for custom applications or to replace damaged sockets on light strands.

Ewing SKU	Size
29509049	C9
29509047	C7

10-Amp Polarized Zip Plugs (10 Per Bag)

	Ewing SKU	Description	Size
E	29551910	Green Male Slide-On Plug	SPT-1
	29551915	White Male Slide-On Plug	SPT-1
F	29551920	Green Female Slide-On Plug with Break-Away	SPT-1
	29551925	White Female Slide-On Plug with Break-Away	SPT-1

ACCESSORIES



A



B



C



D



E



F



K L M



N



O



H



G



I



J



P



Q



R

Mounting Clips And Stakes

	Ewing SKU	Description
A	29509010	All-In-One Holiday Light Clip, 100 per bag
B	29509015	All-N-1+ Holiday Light Clip, 100 per bag
C	29569079	C9 Circle Clip V2+, 100 per bag
D	29509020	2-Hole Shingle Tabs for Holiday Lights
E	29509025	Parapet Clip for 2-Hole Shingle Tab
F	29509023	3-Hole Shingle Tabs for Holiday Lights
G	29559039	Magnetic Clip for C7/C9 Socket Wire
H	29559070	Canny Sys. LS-06 7.5" Light Stake, 25 per bag
I	29559170	3-way Grounded Holiday Splitter, 15-amp
J	29559050	WG Nyglass 5" Light Stake, 25 per bag

Electrical

	Ewing SKU	Description
K	29558020	Green 20', 16GA Extension Cord, 13-amp
L	29558040	Green 40', 16GA Extension Cord, 13-amp
M	29558080	Green 80', 16GA Extension Cord, 10-amp
N	29509110	2-way Mechanical Outdoor Timer, 15-amp
O	29509120	2-way Outdoor Timer with Photocell, 15-amp
P	29509160	HD Digital Outdoor Timer 2-outlet, 15-amp
Q	29107900	Brilliance WiFi Smart Socket 3.0 Controller, 10-amp
R	59309080	FX WiFi Plug Outdoor Timer, IP66 15-amp



PRE-BALLED 5MM LED CONICAL LIGHTS

Create brilliant and dramatic holiday displays with rugged 5mm LED lights.

1. Delivers exceptional years long brilliance while reducing energy costs
2. Provides 360° saturated light with wide-angle concave lensing.
3. Low-profile design hugs installation surface and minimizes tangling for a more polished look.
4. Pre-balled packaging reduces installation time and labor costs by up to 30%.

Pre-Balled 5mm 70ct 4" Spacing LED Conical Lights

70 Superbrite wide-angle lights at 4" spacing with traditional pre-molded plugs. UL-approved to connect 45 strands end-to-end, .04 amps and 4.8 watts. Single piece construction, strand length is 23.5'.

	Ewing SKU	Color	Spacing
A	29553010	Red	4"
B	29553020	Green	4"
C	29553030	Blue	4"
D	29553035	Purple	4"
E	29553040	Orange	4"
F	29553050	Teal	4"
G	29553055	Pink	4"
H	29553060	Pure White	4"
I	29553065	Silver & Gold	4"
J	29553070	Warm White	4"
K	29553090	5-Color Multi	4"
L	29553095	Candy Cane	4"


Pre-Balled 5mm 50ct 6" Spacing LED Conical Lights

50 Superbrite wide-angle lights at 6" spacing with traditional pre-molded plugs, 25.5' total length 4.8 watts per strand, UL-approved to connect up to 45 sets end-to-end.

	Ewing SKU	Color	Spacing
A	29553710	Red	6"
B	29553720	Green	6"
C	29553730	Blue	6"
D	29553735	Purple	6"
E	29553740	Orange	6"
F	29553750	Teal	6"
G	29553755	Pink	6"
H	29553760	Pure White	6"
J	29553770	Warm White	6"
K	29553790	5-Color Multi	6"




SAVE TIME WITH THESE LIGHTS!



PRE-BALLED G12 70CT 4" SPACING RASPBERRY LIGHTS





G12 LED 70ct Raspberry Lights

These 70ct light strands with traditional molded plugs are UL-approved to connect up to 45 strands end-to-end. 4.8 watts per strand. Strand length is 23.5'. 4" LED lamp spacing.

	Ewing SKU	Color	Spacing
A	29553310	Red	4"
B	29553320	Green	4"
C	29553330	Blue	4"
D	29553335	Purple	4"
E	29553340	Orange	4"
F	29553350	Teal	4"
G	29553355	Pink	4"
H	29553360	Pure White	4"
I	29553370	Warm White	4"
J	29553390	5-Color Multi	4"
K	29553395	Candy Cane	4"

PRE-BALLED FOR FASTER INSTALLATION & LOWER LABOR COSTS

Dramatically reduces installation time! Check with your local Ewing branch as in-season orders may not be available pre-balled.



5MM SOFT TWINKLE & SPOTLITE STRINGS

LEARN MORE

NEW!

Wintergreen LIGHTING 5MM LUX360 LED MINI LIGHT STRINGS

NEW patented Lux360 technology delivers soft, vibrant color and brilliant 360° illumination with no hot spots.



5mm Pre-Balled Soft Twinkle

Unlike harsh strobing lights, these Soft Twinkle 5mm strands produce a more subtle, peaceful, soft glistening effect to animate landscape and architectural features.

- 70 lights per strand, 4" spacing.
- These lights twinkle at random allowing their effect to seem more natural and less robotic.
- EVERY diode twinkles on these premium sets!

PRO TIP Turn a dry creek bed into a shimmering stream by overlaying static blue light strings with blue and pure white Soft Twinkle lights.

	Ewing SKU	Color
	29553210	Red
	29553220	Green
	29553230	Blue
	29553260	Pure White
	29553270	Warm White
A	29553290	5-Color Multi



SEE THESE LIGHTS TWINKLE!





5mm Pre-Balled LED Convex Conical Lights

The Spotlite 5mm series has dome-lens tips for a miniature "spotlight" effect, projecting beautiful pools of light onto nearby surfaces, creating shadows onto adjacent structures and filling an area with light, which creates more dimension and brightness to any outdoor space.

- 70 lights per strand, 4" spacing.
- Convex lensing for spotlight effect.

	Ewing SKU	Color
	29553610	Red
	29553620	Green
	29553630	Blue
	29553635	Purple
	29553650	Teal
	29553655	Pink
	29553660	Pure White
B	29553665	Silver & Gold
	29553670	Warm White
C	29553690	5-Color Multi

5mm 70ct Pre-Balled Lux360

	Ewing SKU	Length	Color	Spacing
A	29554010	23'	Red	4"
B	29554020	23'	Green	4"
C	29554030	23'	Blue	4"
D	29554060	23'	Pure White	4"
E	29554070	23'	Warm White	4"
F	29554090	23'	5-Color	4"

5mm 50ct Pre-Balled Lux360


	Ewing SKU	Length	Color	Spacing
A	29554710	25'	Red	6"
B	29554720	25'	Green	6"
C	29554730	25'	Blue	6"
D	29554760	25'	Pure White	6"
E	29554770	25'	Warm White	6"
F	29554790	25'	5-Color	6"



Traditional 5mm



Lux360




















TRUNK WRAP & NET LIGHTS



LED 2' x 6' Trunk Wraps

Tree lighting made easy with 100 5mm pre-spaced LED lights on handy trunk wraps. Use for palms and other tall-trunked trees. Connect up to 30 sets end-to-end. Green wire, 100 light count.

	Ewing SKU	Color	Size
A	29555510	Red	2' x 6'
B	29555520	Green	2' x 6'
C	29555560	Pure White	2' x 6'
D	29555570	Warm White	2' x 6'









LED 4' x 6' Net Lights

Pre-spaced 5mm LED lights on easy-to-install nets create instant impact. Simplifies installations and creates a uniform look. Connect up to 30 sets end-to-end. Green wire, 100 light count.

	Ewing SKU	Color	Size
E	29555610	Red	4' x 6'
F	29555620	Green	4' x 6'
G	29555630	Blue	4' x 6'
H	29555660	Pure White	4' x 6'
I	29555670	Warm White	4' x 6'
J	29555690	5-Color Multi	4' x 6'













STARBURST & ICICLE LIGHTS



Starburst LED Clusters

These warm white twinkling Starbursts are a versatile, labor-saving option for events, commercial and residential applications. With bendable outdoor-rated brown wire branches, they're perfect for hanging, mounting and adding ambiance and animation to any project, anytime of the year.

PRO TIP Wrap trunks and larger branches, then use Starbursts instead of wrapping the entire canopy to save time and money!

	Ewing SKU	Color
A	29556570	24" Warm White (Single)
B	29556470	15" Warm White (Set of 3)










SEE AN EXAMPLE OF THESE LIGHTS IN ACTION!



LED Icicle Lights

Perfect for mounting along roof lines for dramatic effect. White wire matches standard building trim color. Connect up to 45 sets end-to-end. Vertical drops are 19", 14" and 9". Spacing is 6" between drops. Total length is 7.5', lit length is 7'. M5 bulb shape.


	Ewing SKU	Color
A	29555360	Pure White
B	29555370	Warm White





GREENERY & DÉCOR

High-end, commercial-quality greenery which includes wreaths constructed on a sturdy frame that will not bend or crack. The tips are constructed from UV-resistant PVC with realistic color, which gives many years of use. Rated for indoor or outdoor use.



A LED Pre-Lit Greenery

Features 5mm Warm White LED lamps.

Ewing SKU	Size	Lamps
29505010	9' x 14" garland (280 tips)	100
29505120	36" wreath (250 tips)	100
29505130	48" wreath (400 tips)	200
29505140	60" wreath (800 tips)	400
29505150	72" wreath (1,200 tips)	600
29505720	36" teardrop (76 tips)	50
29505730	48" teardrop (118 tips)	70

B Unlit Greenery

Ewing SKU	Size
29505200	9' x 14" garland (280 tips)
29505210	24" wreath (110 tips)
29505220	36" wreath (250 tips)
29505230	48" wreath (400 tips)
29505240	60" wreath (800 tips)
29505250	72" wreath (1,200 tips)
29505820	36" teardrop (76 tips)
29505830	48" teardrop (118 tips)

C Decorative Red Velvet Bows

Premium bows feature a deeper red color with top-quality felt finish, which is more resistant to fade in sunlight.

Ewing SKU	Size
29510181	10" x 18" DLX bow wired 24" wreath/garland
29512185	12" x 18" DLX bow wired 36" wreath
29514285	14" x 28" DLX bow wired 48" wreath
29518355	18" x 35" DLX bow wired 60" wreath







PRO TIP Customize unlit greenery with colors, Lux360 sets, or soft twinkle animation, or use it to extend pre-lit garland runs to the desired length.



RGBW COLOR-CHANGING SYSTEMS

Taking Traditional Holiday Lighting to the Next Level

RGBW color-changing systems complement traditional holiday décor while expanding year-round possibilities. Choosing the right system ensures reliable performance, easier management, and greater client satisfaction.

RGBW VS. TRADITIONAL HOLIDAY LIGHTING:

A Complementary Approach

PRO TIP Check out pg. 13 and 14 for RGBW systems using Calendar-Based Programming and Power Line Communication found at Ewing.

THE SYNERGY

- **Complementary, Not Competitive:** Clients prefer permanent RGBW roofline and landscape lighting paired with traditional holiday décor over choosing one or the other.
- **Layered Effects:** Permanent downward or outward facing roofline products and landscape lighting accentuate seasonal décor, adding depth and visual impact.

THE VALUE PROPOSITION

- **Lifestyle Enhancement:** Offering multiple, overlapping layers of lighting options creates a deeply integrated outdoor living environment.
- **Ultimate Aesthetics:** Combining systems delivers the most visually appealing, vibrant, and enjoyable ambiance for the end user.





CHOOSING AN RGBW LANDSCAPE LIGHTING SYSTEM:

Maximize Client Satisfaction and Minimize Callbacks

POWERLINE COMMUNICATION

- **How it works:** Controller communicates with every fixture through existing low-voltage wire using high-frequency signals.
- **Benefit:** One Wi-Fi connection at the controller reliably reaches every individual fixture.
- **Why it matters:** No Wi-Fi extenders, Bluetooth antennas, or signal boosters required, reducing connectivity issues and contractor call-backs.

CALENDAR-BASED PROGRAMMING

- **How it works:** Pre-schedule holidays and events during initial setup.
- **Benefit:** Delivers a true "set it and forget it" experience that maximizes the return on your RGBW color-changing system investment.
- **Why it matters:** Runs completely autonomously year-round, removing the need for active ongoing management or client reprogramming.

Photo courtesy of Hunter Industries Incorporated.



BUILT FOR THE HOLIDAYS. DESIGNED FOR EVERY SEASON.

FXLuminaire

BRING COLOR, CONTROL, AND FLEXIBILITY TO EVERY LIGHTING INSTALLATION.

FX Luxor is designed for year-round application, expanding landscape lighting with dynamic color and control as a complementary solution to holiday lighting. At the core of the system are zoning, dimming, and RGBW color control, with Ethernet or wireless Wi-Fi.

Zoning
Create up to 250 independent lighting zones with ease.

Dimming
Fine-tune light output with 0–100% dimming control.

Color
Create vibrant displays with 30,000+ color combinations.

OTHER CAPABILITIES INCLUDE:

- Powerline Communication (PLC).
- Calendar-based programming.
- Year-round warm white lighting with up to 40 customizable holiday and event themes.
- Luxor ZDC available in a wide array of fixture options.
- Astronomical timing.
- Remote site management.
- Home integration.

Bring smarter, more flexible lighting to every install. Talk to your Ewing representative to add FX Luxor to your next project.



COLOR THAT MOVES WITH THE SEASON



WAC LIGHTING

TRANSFORM OUTDOOR SPACES THROUGH DYNAMIC COLOR DESIGN


Colorscaping delivers dynamic color and tunable white lighting for every season, enhancing landscapes and holiday displays year-round.

OTHER CAPABILITIES INCLUDE:

- Powerline Communication (PLC).
- Calendar-based programming.
- Post-installation programming allows you to install all fixtures and then digitally assign, program, and pull them into custom groups.
- Fixture addressing offers flexible network control to independently manage single fixtures or pull them together into up to 64 zones.
- Tunable white and full RGBW color delivers seamless, stepless selection from 2700K to 6500K alongside millions of rich colors.
- Easy expansion of existing systems. Transformer upgrades legacy lighting systems into smart networks.
- Colorscaping available in a wide array of fixture options.

Bring color, ambiance, and dimension to every outdoor space. Talk to your Ewing representative to learn more about WAC Colorscaping.





NEW!

JASCOPRO™ UNDER-EVE LIGHTING

An entry-level, trackless permanent roofline solution offering cost-effective, downward-facing RGBWWIC illumination for year-round architectural façade, holiday, and event displays, without the maintenance of ground-based landscape lighting.

JascoPro Bulbs

	Ewing SKU	Description
A	29507810	36-Bulb 33' RGBWW, Black Add-On
B	29507811	36-Bulb 33' RGBWW, White Add-On
C	29507820	90-Bulb 82.5' RGBWW, Black Kit
D	29507821	90-Bulb 82.5' RGBWW, White Kit

JascoPro Power Supply

	Ewing SKU	Description
E	29507850	Power Supply, Black
F	29507851	Power Supply, White

JascoPro Extension Cords

	Ewing SKU	Description
G	29507860	2ct 10' Extension Cord, Black
H	29507861	2ct 10' Extension Cord, White



A/C



B/D



E



F

SCAN QR CODE FOR EVERYTHING JASCOPRO

COLOR CHANGING RGBWWIC

TUNABLE WHITE 2000K-6500K

FULL-RANGE DIMMING


43 LUMENS PER PIXEL

ALL-WEATHER RATED

NEW!

OMNI RGB LIGHTS PERMANENT ROOF LINE

Omni is a premium tracked permanent roofline system with outward- and/or downward-facing RGBW lighting, providing complete control of every light for dynamic light shows or year-round architectural beauty. Installation requires Omni certification.



	Ewing SKU	Description
	29566011	40" Double Track 2pc, White
	29566012	40" Double Track 2pc, Light Grey
A	29566013	40" Double Track 2pc, Cream
	29566014	40" Double Track 2pc, Black
	29566015	40" Double Track 2pc, Dark Brown
	29566016	40" Double Track 2pc, Dark Grey
	29566021	40" Angled Parapet Track, White
	29566022	40" Angled Parapet Track, Light Grey
	29566023	40" Angled Parapet Track, Cream
B	29566024	40" Angled Parapet Track, Black
	29566025	40" Angled Parapet Track, Brown
C	29566101	Male Adapter
D	29566102	Female Adapter
E	29566301	Demo Kit

	Ewing SKU	Description
	29566103	3' 12/24V MXF Extension
	29566105	5' 12/24V MXF Extension
	29566110	10' 12/24V MXF Extension
	29566125	25' 12/24V MXF Extension
	29566150	50' 12/24V MXF Extension
F	29566201	RGBW 12V 3000K LED Single
G	29566202	RGBW 12V 3000K LED 5ct
H	29566320	12V/350W Power Supply Waterproof Box
	29566325	12V/600W Power Supply Waterproof Box
I	29566330	UFO Single Port Controller
J	29566335	Signal Booster
K	29566340	12/24V Splitter
L	29566345	12/24V Power Injector T





BISTRO LIGHTING

Bistro lighting is a fun, festive, and functional addition to any hardscape or landscape, creating a seamless transition between indoor and outdoor living while extending the use of outdoor spaces year-round. Ewing offers some of the most versatile bistro lighting solutions in the industry.



PRO TIP Suspended S14 socket gives a straight look even when the wire is twisted or when installed at a steep pitch.

Bistro Wire – 24" Spacing with Drop Down Sockets

Not all wire is the same! Our bistro wire features 4" drop down sockets for a straight, vertical hang regardless of wire twists or the angle of installation. All 48' and 96' lengths have a 1' head and tail for ensuring even 24" spacing when plugged end-to-end.

	Ewing SKU	Voltage	Length	Lamps
A	29557030	12V	330'	165L
B	29557050	120V	50'	25L
C	29557100	120V	100'	50L

S14 LED Bistro Bulbs (Dimmable)

	Ewing SKU	Voltage	Color	Shell
D	29507210	12V, 1W	2200K	Glass
E	29507250	12V, 1W	2200K	Poly
F	29507270	120V, 1W	2200K	Poly

Bistro Accessories

	Ewing SKU	Description
G	19501210	LETZGO LED 12 Volt 10A Dimmer
H	59309070	FX DIM-LV 12 Volt Low Voltage Dimmer

Color-Changing Bistro Lights

	Ewing SKU	Description
I	29507845	JascoPro RGBW Wi-Fi LED Vintage Cafe, 48'., 24 Bulbs
J	29507846	JascoPro RGBW Wi-Fi LED Vintage Cafe, 24'., 12 Bulbs

Ewing offers Bistro Wire in bulk 330' spools and 12 Volt LED S14 lamps that tie seamlessly into any new or existing 12V landscape lighting system for easy integration.


A


B C


B C


D


E


F


G


H


I J

FIND OUT MORE ABOUT BISTRO LIGHTING!


J


K


L


M


N


O


Q


P

Bistro Support Cables

	Ewing SKU	Description	Size
J	29507500	Bulk 1/8" Catenary Cable	500'
K	29507505	Cabling Kit for 29557050	60'
L	29507510	Cabling Kit for 29557100	110'
M	29507520	Gripple Cable Fasteners	4-pack
N	29507530	Cable Tensioning Tool	–

Premium Bistro Connectors

	Ewing SKU	Description
O	29507600	Coupler
P	29507605	Tee
Q	29507610	Cross
R	17000510	18-8 Gauge ACE Connector, 50-pack
S	19031990	BSC Medium Brass Barrel Wire Connector, 2-pack
	19031991	BSC Medium Brass Barrel Wire Connector, 50-pack
	19031997	BSC Small Brass Barrel Wire Connector, 2-pack
	19031998	BSC Small Brass Barrel Wire Connector, 50-pack


R


S

LOW VOLTAGE (12V) 5MM LED




Low Voltage (12V) 5mm LED String Lights – BROWN Wire

12V 5mm strands in brown wire. Includes 50 bulbs per set, 6" spacing, 25' length, 3.2W per set. Connect up to 10 sets end-to-end. 12V transformer-ready with co-axial connections.

Ewing SKU	Description
29553570	25' Light Strand Warm White 12V
29553580	6' Transformer Power Lead
29553590	12' Spacer

Tap these transformer-ready 5mm LED string lights into any 12V landscape lighting system! These are a great option for HOAs, landscape beds, parking lot islands, entrances or anywhere you have low voltage lighting but no power outlet! This brown wire blends in with tree bark and is ideal for use outside of holiday lighting season.

SEE THESE LIGHTS IN ACTION



LIGHT STRAND

12V Light Strand with weatherproof co-axial connections.



POWER LEAD

Transition from landscape lighting to co-axial connection on light strands.



SPACER

12' Extension Cord, use between sets, co-axial both ends.

EXPERIENCE THE EWING ADVANTAGE

PROFESSIONAL GRADE PRODUCTS

For over 10 years, Ewing has partnered with the same trusted factories to deliver consistent quality and reliable color matching across our core bulbs, mini's, and greenery. This commitment to consistency offers peace of mind to professionals building their business, replacing or reusing product, and adding to existing projects.

LARGE COMMITMENT TO INVENTORY ON HAND

High depth of stock investment coupled with multiple store stock strategy allow us to move inventory in and out of markets quickly in season. Our stock strategy allows Ewing to offer a local source for holiday lighting both in season as well as throughout the entire calendar year. Availability will vary year to year!

BUY HOLIDAY LIGHTING AS YOU NEED IT

As a distributor, Ewing assumes the inventory carry risk for our customers. With no minimum order amounts or case quantity requirements, contractors are free to buy products as needed, improving cash flow while minimizing opportunity costs and inventory carryover.

LOCAL CONNECTIONS

Offering credit terms, delivery options, and return allowances through December 1st we are easy to partner with. Our friendly and knowledgeable staff are commitment to in-season sourcing support and special order needs, making Ewing your trusted local partner for your Business.

HOW TO ORDER

1. **Choose your products.** Select your desired products from this Catalog and note the corresponding Ewing part number and desired quantities needed.
2. **Contact your local Ewing.** Confirm availability and pricing for the products you need. Product pricing is based on availability, sourcing, and landed costs. Some items are only available in select regions, and may require case quantity purchases. Product not available will be subject to in-season cost increases to source it. Inbound and expedited freight costs are passed along to the purchaser. Contact your local Ewing to determine availability and costs.
3. **Place your order.** Don't forget to confirm pricing and any associated freight and lead time!



RETURNS & WARRANTY



RETURN POLICY

Due to the seasonal nature of holiday lighting and décor products, no returns will be accepted after December 1st of the year product was purchased. Any product returned for reasons other than manufacture defect will require administrative approval and will be subjected to a 15% restocking fee.

ALL Special orders and non-stock sales are final, all special order items are pre-paid by the buyer.

Any product that appears used, not in original packaging or not in original condition will NOT be accepted for return. All freight charges associated with return of products are the responsibility of the returning buyer.

WARRANTY

All holiday décor products are either UL or CSA/US approved and are warranted against defects for one year from the date of purchase. LED Products are guaranteed to light for three seasons from date of purchase. All holiday décor products are manufactured and rated for temporary installation (up to 90 days at a time) and are NOT intended for permanent or year round, continuous use. Warranty is null and void if product is used or installed in a manner other than specified by the manufacturer guidelines and recommendations, or if product is damaged by abuse, misuse, neglect, improper handling or storage, or if any of the identifying labels are removed. Product that has been cut or altered in any way will not be eligible for warranty. This warranty applies to product only and does not relate to the costs incurred from shipping fees or labor-related costs or fees for installation, removal, or replacement of products. Non-holiday décor products will follow manufacturer's warranties. Please contact Ewing for specific warranty return procedures.

ADDITIONAL RESOURCES



EWING HOLIDAY LIGHTING RESOURCE SITE

NEW TO HOLIDAY LIGHTING?

HOLIDAY LIGHTING Q&A BUSINESS WEBINAR



EwingOutdoorSupply.com